

<u>G Series</u> Model No	Size in [mm]	No. of Isolators*	Load Capacity lbs [Kg]	Weight lbs [Kg]
ISO-13G	18 x 12 x 3.75 [457 x 305 x 95.25]	3	200 [90]	34 [15]
ISO-23G	20 x 24 x 3.75 [508 x 610 x 95.25]	3	200 [90]	74 [33]
ISO-24G	20 x 24 x 3.75 [508 x 610 x 95.25]	4	300 [135]	74 [33]
ISO-33G	24 x 24 x 3.75 [610 x 610 x 95.25]	3	200 [90]	89 [40]
ISO-34G	24 x 24 x 3.75 [610 x 610 x 95.25]	4	300 [135]	89 [40]
ISO-43G	24 x 36 x 3.75 [610 x 914 x 95.25]	3	200 [90]	134 [60]
ISO-44G	24 x 36 x 3.75 [610 x 914 x 95.25]	4	300 [135]	134 [60]
ISO-53G	24 x 36 x 3.75 [610 x 914 x 95.25]	3	700 [315]	134 [60]
ISO-54G	24 x 36 x 3.75 [610 x 914 x 95.25]	4	900 [405]	134 [60]

<u>A Series</u> Model No	Size in [mm]	No. of Isolators*	Load Capacity lbs [Kg]	Weight lbs [Kg]
ISO-13A	18 x 12 x 3 [457 x 305 x 76]	3	300 [135]	12 [55]
ISO-23A	20 x 24 x 3 [508 x 610 x 76]	3	300 [135]	25 [11]
ISO-24A	20 x 24 x 3 [508 x 610 x 76]	4	350 [158]	25 [11]
ISO-33A	24 x 24 x 3 [610 x 610 x 76]	3	300 [135]	35 [13.5]
ISO-34A	24 x 24 x 3 [610 x 610 x 76]	4	350 [158]	35 [13.5]
ISO-43A	24 x 36 x 3 [610 x 914 x 76]	3	300 [135]	68 [30.5]
ISO-44A	24 x 36 x 3 [610 x 914 x 76]	4	350 [158]	68 [30.5]
ISO-53A	24 x 36 x 3 [610 x 914 x 76]	3	400 [180]	68 [30.5]
ISO-54A	24 x 36 x 3 [610 x 914 x 76]	4	500 [225]	68 [30.5]

<u>SS Series</u> Model No	Size in [mm]	No. of Isolators*	Load Capacity lbs [Kg]	Weight lbs [Kg]
ISO-13SS	18 x 12 x 3.75 [457 x 305 x 95.25]	3	200 [90]	32 [14]
ISO-23SS	20 x 24 x 3.75 [508 x 610 x 95.25]	3	200 [90]	71 [32]
ISO-24SS	20 x 24 x 3.75 [508 x 610 x 95.25]	4	250 [113]	71 [32]
ISO-33SS	24 x 24 x 3.75 [610 x 610 x 95.25]	3	200 [90]	85 [38]
ISO-34SS	24 x 24 x 3.75 [610 x 610 x 95.25]	4	250 [113]	85 [38]
ISO-43SS	24 x 36 x 3.75 [610 x 914 x 95.25]	3	200 [90]	128 [58]
ISO-44SS	24 x 36 x 3.75 [610 x 914 x 95.25]	4	250 [113]	128 [58]
ISO-53SS	24 x 36 x 3.75 [610 x 914 x 95.25]	3	300 [135]	128 [58]
ISO-54SS	24 x 36 x 3.75 [610 x 914 x 95.25]	4	350 [158]	128 [58]

*Consult Fabreeka with special load distribution applications.